

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 12/02/2008
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 045140	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____	(X3) DATE SURVEY COMPLETED C 11/20/2008
--	---	--	---

NAME OF PROVIDER OR SUPPLIER SEARCY HEALTHCARE CENTER	STREET ADDRESS, CITY, STATE, ZIP CODE 1205 SKYLINE DRIVE SEARCY, AR 72143
---	---

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
--------------------	--	---------------	---	----------------------

F 000	<p>INITIAL COMMENTS</p> <p>Complaint #14038 was unsubstantiated.</p> <p>Complaint #14040 was substantiated (all or in part) with a deficiency cited at F323.</p>	F 000		
F 323 SS=E	<p>483.25(h) ACCIDENTS AND SUPERVISION</p> <p>The facility must ensure that the resident environment remains as free of accident hazards as is possible; and each resident receives adequate supervision and assistance devices to prevent accidents.</p> <p>This REQUIREMENT is not met as evidenced by: Complaint #14040 was substantiated (all or in part) with these findings.</p> <p>Based on observation and interview, the facility failed to ensure dining tables were maintained in good repair and chair cushions were covered in a non-slick surface to prevent potential injury. The failed practices had the potential to affect 8 residents who ambulated independently or with assistive devices and used the Hall 10 dining room, 7 residents who ambulated independently or with assistive devices and used the Hall 11 dining room and 14 residents who ambulated independently or with assistive devices and used the main dining room between Halls 4 and 7, as identified by the Nurse Consultant on 11/20/08. The findings are:</p> <p>1. On 11/19/08 at 9:37 a.m., the following observations were made in the Hall 10 dining room with the Environmental Director in</p>	F 323		

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE	TITLE	(X6) DATE
---	-------	-----------

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 12/02/2008
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 045140	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED C 11/20/2008
NAME OF PROVIDER OR SUPPLIER SEARCY HEALTHCARE CENTER			STREET ADDRESS, CITY, STATE, ZIP CODE 1205 SKYLINE DRIVE SEARCY, AR 72143		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
F 323	Continued From page 1 attendance: a. There were 6 dining tables that seated 4 residents at each table. The table tops had a lever and hinge under the table tops that allowed the table tops to be raised to an angle of 90 degrees. The pedestal base of the table ended in 4 metal legs and the pedestal was encased in black metal with screws on the sides of the pedestal base. 1.) The dining table to the right of the first entrance door from the secured doors and next to the counters had a table top that moved up and down approximately 1/8 inch when pushed with 3 fingertips. The Environmental Director stated, "The movement is from play in the hinges under the table top. The hinge holds the top to the pedestal (base) and the lever raises the table top to 90 degrees so that housekeeping can clean the tables and base. It allows them to stack them against each other and takes up less space." 2.) The dining table to the right of the first entrance door from the secured doors and in front of the window had a table top that moved up and down approximately 1/8 inch when pushed with 3 fingertips. The table top also wobbled and shifted from side to side approximately 1/4 inch when the table top was grasped with 3 fingers and moved sideways. The Environmental Director stated, "The screws/bushings must be loose in the pedestal base. All of the metal coverings on the pedestal base are moving when you push the table top from side to side." 3.) The dining table to the left of the first entrance door from the secured doors and the first table in front of the window had a table top that moved up	F 323			

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 045140	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED C 11/20/2008
NAME OF PROVIDER OR SUPPLIER SEARCY HEALTHCARE CENTER			STREET ADDRESS, CITY, STATE, ZIP CODE 1205 SKYLINE DRIVE SEARCY, AR 72143		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
F 323	Continued From page 2 and down approximately 1/8 inch when pushed with 3 fingertips. 4.) The dining table to the left of the first entrance door from the secured doors and the second table in front of the window had a table top that moved up and down approximately 1/8 inch when pushed with 3 fingertips. The table top also wobbled and shifted from side to side approximately 1/4 inch when the table top was grasped with 3 fingers and moved sideways. 5.) The dining table to the right of the second entrance door from the secured doors and against the wall had a table top that moved up and down approximately 1/8 inch when pushed with 3 fingertips. 6.) The dining table to the left of the first entrance door from the secured doors and against the wall had a table top that moved up and down approximately 1/8 inch when pushed with 3 fingertips. The table top also wobbled and shifted from side to side approximately 1/4 inch when the table top was grasped with 3 fingers and moved sideways. 2. On 11/19/08 at 9:46 a.m., the following observations were made in the Hall 11 dining room with the Environmental Director in attendance: a. There were 5 dining room tables that seated 4 residents at each table. These table tops also had the lever and hinge mechanism under the table tops that allowed the table tops to be raised to a 90 degree angle. 1.) The dining table to the right of the first	F 323			

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 12/02/2008
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 045140	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED C 11/20/2008
NAME OF PROVIDER OR SUPPLIER SEARCY HEALTHCARE CENTER			STREET ADDRESS, CITY, STATE, ZIP CODE 1205 SKYLINE DRIVE SEARCY, AR 72143		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
F 323	Continued From page 3 entrance door from the secured doors and next to the window had a table top that moved up and down approximately 1/8 inch when pushed with 3 fingertips. The table top also wobbled and shifted from side to side approximately 1/2 inch when the table top was grasped with 3 fingers and moved sideways. 2.) The dining table to the left of the first entrance door from the secured doors and in front of the window on the right had a table top that moved up and down approximately 1/8 inch when pushed with 3 fingertips. 3.) The dining table to the left of the first entrance door from the secured doors and in front of the window on the left had a table top that moved up and down approximately 1/8 inch when pushed with 3 fingertips. The table top also wobbled and shifted from side to side approximately 1/2 inch when the table top was grasped with 3 fingers and moved sideways. 4.) The dining table to the right of the second entrance door from the secured doors and against the wall had a table top that moved up and down approximately 1/8 inch when pushed with 3 fingertips. The table top also wobbled and shifted from side to side approximately 1/2 inch when the table top was grasped with 3 fingers and moved sideways. 5.) The dining table to the right of the first entrance door from the secured doors and against the wall had a table top that moved up and down approximately 1/8 inch when pushed with 3 fingertips. The table top also wobbled and shifted from side to side approximately 1/2 inch when the table top was grasped with 3 fingers	F 323			

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 12/02/2008
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 045140	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED C 11/20/2008
NAME OF PROVIDER OR SUPPLIER SEARCY HEALTHCARE CENTER			STREET ADDRESS, CITY, STATE, ZIP CODE 1205 SKYLINE DRIVE SEARCY, AR 72143		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
F 323	Continued From page 4 and moved sideways. b. One wooden rocker to the right of the first entrance door from the secured doors had a plastic bag on the seat cushion, which resulted in the seat surface being slick and presenting a potential fall hazard. 3. On 11/19/08 at 9:55 a.m., the following observations were made in the back dining room between Halls 7 and 11 with the Environmental Director in attendance: a. There were 4 dining room tables in this dining room. Two of the tables had the lever and hinge mechanism that allowed the table tops to be raised to a 90 degree angle. One table was a wooden table with 4 wooden legs. The fourth table was a half-circle feeder table. 1.) The dining table to the right of the entrance door had a table top that moved up and down approximately 1/8 inch when pushed with 3 fingertips. The table top also wobbled and shifted from side to side approximately 1/4 inch when the table top was grasped with 3 fingers and moved sideways. 2.) The wooden dining table in the center scooted across the floor approximately 2 to 3 inches when this surveyor was seated in a chair and pushed on the table top with 3 fingertips. 3.) The dining table to the left of the entrance door had a table top that moved up and down approximately 1/8 inch when pushed with 3 fingertips. 4. On 11/19/08 at 10:00 a.m., the following	F 323			

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 12/02/2008
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 045140	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED C 11/20/2008
NAME OF PROVIDER OR SUPPLIER SEARCY HEALTHCARE CENTER			STREET ADDRESS, CITY, STATE, ZIP CODE 1205 SKYLINE DRIVE SEARCY, AR 72143		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
F 323	Continued From page 5 observations were made in the main dining room between Halls 4 and 7 with the Environmental Director in attendance: a. There were 27 dining tables in the room, 22 of which were the type with the lever and hinge mechanism that allowed the table tops to be raised to a 90 degree angle. There were also 4 half-circle feeder tables and one table that seated one resident. 1.) The dining table labeled #18 had a table top that moved up and down approximately 1/8 inch when pushed with 3 fingertips. The table top also wobbled and shifted from side to side approximately 1 inch when the table top was grasped with 3 fingers and moved sideways. 2.) The dining table labeled #8 had a table top that moved up and down approximately 1/8 inch when pushed with 3 fingertips. The table top also wobbled and shifted from side to side approximately 1/4 inch when the table top was grasped with 3 fingers and moved sideways. 3.) The dining table labeled #12 had a table top that moved up and down approximately 1/8 inch when pushed with 3 fingertips. The table top also wobbled and shifted from side to side approximately 1/4 inch when the table top was grasped with 3 fingers and moved sideways. 4.) The dining table labeled #4 had a table top that moved up and down approximately 1/8 inch when pushed with 3 fingertips. The table top also wobbled and shifted from side to side approximately 1/4 inch when the table top was grasped with 3 fingers and moved sideways.	F 323			

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 12/02/2008
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 045140	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____	(X3) DATE SURVEY COMPLETED C 11/20/2008
NAME OF PROVIDER OR SUPPLIER SEARCY HEALTHCARE CENTER			STREET ADDRESS, CITY, STATE, ZIP CODE 1205 SKYLINE DRIVE SEARCY, AR 72143	
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
F 323	Continued From page 6 5.) The dining table labeled #2 had a table top that moved up and down approximately 1/4 inch when pushed with 3 fingertips. 6.) The dining table labeled #5 had a table top that moved up and down approximately 1/8 inch when pushed with 3 fingertips. The table top also wobbled and shifted from side to side approximately 1/4 inch when the table top was grasped with 3 fingers and moved sideways. 7.) The dining table labeled #11 had a table top that moved up and down approximately 1/8 inch when pushed with 3 fingertips. The table top also wobbled and shifted from side to side approximately 1/2 of an inch when the table top was grasped with 3 fingers and moved sideways. 8.) The dining table labeled #19 had a table top that moved up and down approximately 1/4 inch when pushed with 3 fingertips. The table top also wobbled and shifted from side to side approximately 1/2 of an inch when the table top was grasped with 3 fingers and moved sideways. 9.) The dining table labeled #13 nest to the dirty dish window had a table top that moved up and down approximately 1/8 inch when pushed with 3 fingertips. The table top also wobbled and shifted from side to side approximately 1/2 of an inch when the table top was grasped with 3 fingers and moved sideways. 10.) The dining table labeled #1 had a table top that moved up and down approximately 1/4 inch when pushed with 3 fingertips. The table top also wobbled and shifted from side to side approximately 1/2 of an inch when the table top was grasped with 3 fingers and moved sideways.	F 323		

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 12/02/2008
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 045140	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED C 11/20/2008
NAME OF PROVIDER OR SUPPLIER SEARCY HEALTHCARE CENTER			STREET ADDRESS, CITY, STATE, ZIP CODE 1205 SKYLINE DRIVE SEARCY, AR 72143		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
F 323	Continued From page 7 11.) The dining table labeled #9 had a table top that moved up and down approximately 1/4 inch when pushed with 3 fingertips. 12.) The dining table labeled #13 next to the cabinets had a table top that moved up and down approximately 1/8 inch when pushed with 3 fingertips. The table top also wobbled and shifted from side to side approximately 1/4 inch when the table top was grasped with 3 fingers and moved sideways. 13.) An unlabeled dining table next to the windows on the right and between tables labeled 7 and 13 had a table top that moved up and down approximately 1/4 inch when pushed with 3 fingertips. The table top also wobbled and shifted from side to side approximately 1/4 inch when the table top was grasped with 3 fingers and moved sideways. 14.) The dining table labeled #10 had a table top that moved up and down approximately 1/8 inch when pushed with 3 fingertips. The table top also wobbled and shifted from side to side approximately 1/4 inch when the table top was grasped with 3 fingers and moved sideways. 15.) The dining table labeled #7 had a table top that moved up and down approximately 1/8 inch when pushed with 3 fingertips. The table top also wobbled and shifted from side to side approximately 1/4 inch when the table top was grasped with 3 fingers and moved sideways. 16.) The dining table labeled #15 had a table top that moved up and down approximately 1/8 inch when pushed with 3 fingertips. The table top also	F 323			

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 12/02/2008
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 045140	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED C 11/20/2008
NAME OF PROVIDER OR SUPPLIER SEARCY HEALTHCARE CENTER			STREET ADDRESS, CITY, STATE, ZIP CODE 1205 SKYLINE DRIVE SEARCY, AR 72143		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
F 323	Continued From page 8 wobbled and shifted from side to side approximately 1/4 inch when the table top was grasped with 3 fingers and moved sideways. 17.) The dining table labeled #14 had a table top that moved up and down approximately 1/4 inch when pushed with 3 fingertips. 18.) The dining table labeled #6 had a table top that moved up and down approximately 1/8 inch when pushed with 3 fingertips. The table top also wobbled and shifted from side to side approximately 1/4 inch when the table top was grasped with 3 fingers and moved sideways. 19.) The dining table labeled #16 had a table top that moved up and down approximately 1/8 inch when pushed with 3 fingertips. The table top also wobbled and shifted from side to side approximately 1/4 inch when the table top was grasped with 3 fingers and moved sideways. 20.) The dining table labeled #3 had a table top that moved up and down approximately 1/8 inch when pushed with 3 fingertips. The table top also wobbled and shifted from side to side approximately 1/4 inch when the table top was grasped with 3 fingers and moved sideways. 21.) The dining table labeled #17 had a table top that moved up and down approximately 1/8 inch when pushed with 3 fingertips. The table top also wobbled and shifted from side to side approximately 1/4 inch when the table top was grasped with 3 fingers and moved sideways.	F 323			